Docket No.: 12051-00001-US

Application No. 10/709,626 Amendment dated January 3, 2007 Reply to Office Action of November 21, 2006

AMENDMENTS TO THE CLAIMS

- 1. (Currently Amended) A hand-held ballistic shield, comprising:
- a shield having a front face and a reverse face and formed of a ballistic material;
- a viewing window through the shield;
- a handle associated with the shield for carrying the shield or holding the shield in front of at least a portion of a user's body;
- a frame for mounting a firearm attached to the shield; and
- a firearm mounted to the shield and dischargeably operable when so mounted <u>and when</u>

 <u>said shield is held by said handle in front of at least a portion of said user's body</u>, wherein

 said firearm is mounted for discharge in a direction at an angle outwardly from the front
 face of the shield.
- 2. (Original) The ballistic shield of claim 1, wherein the firearm is selected from the group consisting of: taser guns, pistols, revolvers, gas discharge firearms.
- 3. (Original) The ballistic shield of claim 1, wherein the ballistic material is selected from the group consisting of: boron carbide, silicon carbide, silicon nitride, aluminum oxide, alumina ceramic, titanium diboride, reinforced fiberglass composite, reinforced fiber and polymer resin composite, and mixtures of such materials.
- 4. (Original) The ballistic shield of claim 1, wherein the viewing window is formed from a material selected from the group consisting of: bullet proof glass and polycarbonate polymer.
- 5. (Original) The ballistic shield of claim 1, wherein the handle is a forearm cuff.

Docket No.: 12051-00001-US

Application No. 10/709,626 Amendment dated January 3, 2007 Reply to Office Action of November 21, 2006

- 6. (Original) The ballistic shield of claim 1, wherein the firearm is a taser gun, and further comprising a battery mounted to the shield for charging the taser gun.
- 7. (Original) The ballistic shield of claim 1, further comprising a disabling sensor to disable the firearm in response to a predetermined signal or a predetermined absence of a signal.
- 8. (Original) The ballistic shield of claim 1, wherein the firearm is mounted so that it discharges in a direction substantially perpendicular to the front face of the shield.
- 9. (Canceled)
- 10. (Original) The ballistic shield of claim 1, further comprising a second firearm mounted to the shield.
- 11. (Original) The ballistic shield of claim 10, wherein the second firearm is mounted so that it discharges in a direction substantially parallel to the rear face of the shield.
- 12. (Original) The ballistic shield of claim 1, further comprising a second weapon mounted to the rear face of the shield.
- 13. (Original) The ballistic shield of claim 1, further comprising one or more communications accessories mounted to the shield.
- 14. (Original) The ballistic shield of claim 13, wherein the communications accessories are selected from the group consisting of: radio, camera, digital camera, video camera, cellular phone, cellular video, audio speaker, megaphone, homing signaling device, and global positioning transponder.
- 15. (Original) The ballistic shield of claim 1, further comprising one or more mirrors associated with the viewing window to extend the field of vision through said viewing window.

- 16. (Original) The ballistic shield of claim 1, further comprising one or more light sources mounted to the shield.
- 17. (Original) The ballistic shield of claim 1, wherein shield is employable and the firearm is dischargeable with a single arm operation.
- 18. (Previously Presented) A portable ballistic shield, comprising:

a shield having a front face and a reverse face and formed of a ballistic material;

a viewing window through the shield;

a handle associated with the shield for carrying the shield or holding the shield in front of a user's body;

a frame for mounting a firearm attached to the shield; and a firearm mounted to the shield and dischargeably operable when so mounted, wherein said firearm is mounted for discharge in a direction at an angle outwardly from the front face of the shield;

a second firearm mounted to the shield and dischargeably operable when so mounted, wherein said second firearm is mounted so as to discharge in a direction that is different from a discharge direction of said first firearm;

one or more light sources mounted to the shield; and
a disabling sensor to disable the firearms in response to a
predetermined signal or a predetermined absence of a signal.

Amendment dated January 3, 2007 Reply to Office Action of November 21, 2006

19. (Currently Amended) A hand-held ballistic shield, comprising:

a shield having a front face and a reverse face and formed of a ballistic material;

a means for viewing through the shield;

a means for carrying or holding the shield in front of at least a portion of a user's

body;

a means for mounting mounting a firearm to the shield; and

a firearm mounted to the shield and dischargeably operable when so mounted and

when said shield is held in front of at least a portion of the user's body, wherein

said firearm is mounted for discharge in a direction at an angle outwardly from

the front face of the shield.

20. (Currently Amended) The hand-held ballistic shield of claim 19, wherein said

means for viewing through the shield comprises a window; said means for carrying or

holding the shield comprises a handle; and said means for mounting mounting a firearm

comprises a frame.

7